

# Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.5Rev<sup>1</sup>

Name of product/version:	Google Apps Script
Report date:	4 October 2024
Product description:	Google Apps Script is a web-based scripting platform that allows users to create, customize, and automate Google Workspace applications.
Contact information:	vpat-questions@google.com
Evaluation methods used:	<p>The <a href="#">W3C Website Accessibility Conformance Evaluation Methodology</a> (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across browser platforms.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none"><li>• Desktop browsers: Chrome (NVDA).</li><li>• Assistive technologies: NVDA.</li><li>• Accessibility testing tools: Axe Auditor, Axe Dev tools Pro and Color Contrast Analyzer</li></ul>
Applicable standards/guidelines:	<p>This report covers the degree of conformance for the following accessibility standards/guidelines:</p> <ul style="list-style-type: none"><li>• <a href="#">Web Content Accessibility Guidelines (WCAG) 2.0</a> Level A and AA</li><li>• <a href="#">Web Content Accessibility Guidelines (WCAG) 2.1</a> Level A and AA</li><li>• <a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a></li><li>• <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> and <a href="#">EN 301 549</a></li></ul>

---

<sup>1</sup> “Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)



## Table of contents

<b>Google Accessibility Conformance Report</b>	<b>1</b>
Table of contents	3
Terms	3
WCAG 2.1 Report	5
Table 1: Success Criteria, Level A	5
Table 2: Success Criteria, Level AA	27
Table 3: Success Criteria, Level AAA	42
Revised Section 508 Report	43
Chapter 3: Functional Performance Criteria (FPC)	43
Chapter 4: Hardware	45
Chapter 5: Software	46
Chapter 6: Support Documentation and Services	50
EN 301 549 Report	52
Chapter 4: Functional Performance Statements (FPS)	52
Chapter 5: Generic Requirements	55
Chapter 6: ICT with Two-Way Voice Communication	60
Chapter 7: ICT with Video Capabilities	61
Chapter 8: Hardware	62
Chapter 9: Web	63
Chapter 10: Non-Web Documents	64
Chapter 11: Software	64
Chapter 12: Documentation and Support Services	65
Chapter 13: ICT Providing Relay or Emergency Service Access	66
Legal disclaimer	67

## Tested Pages

- File
- Context & Set Up
- Run A Function
- Accept an autocomplete suggestion
- Accept hints from the Monaco editor
- Set up a breakpoint on a line of code
- Debug a function
- Step through a function
- Add a trigger to run my code
- Add a library to my project
- Add a Google Workspace service to my project
- View the error rate and executions of different deployments
- View execution logs within Apps Script
- Add a file to the project

- Deploy Apps Script project

## Tested Components that appear on multiple pages

- Header
- Left Navigation

## Terms

The terms used in the conformance level information are defined as follows:

**Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

**Partially supports:** Some functionality of the product does not meet the criterion.

**Does not support:** The majority of product functionality does not meet the criterion.

**Not applicable:** The criterion is not relevant to the product.

**Not evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

## WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Criteria	Conformance level	Remarks and explanations
<p><b><u>1.1.1 Non-text Content</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: Most non-text content has text alternatives or a text alternate that serves an equivalent purpose. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• An active image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to access the information available in the image and if it is an active image, will not understand its function. This occurs on the following pages: Run A Function; Context &amp; Set Up.</li> </ul>

Criteria	Conformance level	Remarks and explanations
<p><b><u>1.2.1 Audio-only and Video-only (Pre-recorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: Pre-recorded audio-only files are not present.</p>
<p><b><u>1.2.2 Captions (Pre-recorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: Pre-recorded videos are not present.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>1.2.3 Audio Description or Media Alternative (Pre-recorded)</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Not Applicable	Web: Pre-recorded videos are not present, so audio description is not required.
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> </ul>	Web: Partially Supports	Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exists: <ul style="list-style-type: none"> <li>• Text that visually functions as a heading is not marked up as a</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software) – Informative only</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following pages: Deploy Apps Script project; Step through a function.</p> <ul style="list-style-type: none"> <li>• Data is arranged visually like a data table, but the programmatic table header markup is missing or incomplete. People who are blind and/or use a screen reader will not be aware of the association between the table headers and their related data. This occurs on the following page: View execution logs within Apps Script.</li> <li>• Some information, structure, and/or relationships are only presented visually but not conveyed programmatically, so context provided to sighted users is not available to people who are blind. This occurs on the following page: Set up a breakpoint on a line of code.</li> <li>• An element's programmatic role requires one or more child elements but the child elements is/are missing, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose or content of the element or its related content. This occurs on the following page: Accept hints from the Monaco editor.</li> </ul>
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: The reading and navigation order of most content is logical and intuitive. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• Some visually hidden content is announced by a screen reader, so people who are blind and/or use a</li> </ul>



Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software) – Informative only</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>screen reader may be misled or confused when hearing content that is not intended to be part of the reading order on the page. This occurs on the following page: Deploy Apps Script project.</p> <ul style="list-style-type: none"> <li>• The screen reader skips and does not announce informative static content (text or images), so the intended meaning of that content will be lost or changed for people who are blind and/or use a screen reader. This occurs on the following page: Accept hints from the Monaco editor.</li> </ul>
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web:  Supports</p>	<p>Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.</p>

Criteria	Conformance level	Remarks and explanations
<p><b>1.4.1 Use of Color</b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>● Color is used as the only method to convey information, so that information will not be available to people who are color blind and people who are blind and/or use a screen reader. This occurs on the following page: View the error rate and executions of different deployments.</li> <li>● Color is used as the only method to convey the state (such as "checked," "pressed," or "selected") of a control, so that information will not be available to people who are color blind and people who are blind and/or use a screen reader. This occurs on the following pages: Header; Debug a function; Add a Google Workspace service to my project; View execution logs within Apps Script; Deploy Apps Script project; View the error rate and executions of different deployments; Step through a function; Run A Function; Add a trigger to run my code; Context &amp; Set Up; Add a file to the project and Left Navigation component that appears on multiple pages.</li> <li>● Color is the only visual method used to identify a link, and a link text's contrast ratio with the color of the surrounding text is less than 3:1, so people who are color blind or have low vision may not be able to identify the link. This occurs on the following pages: Deploy Apps Script project.</li> </ul>

Criteria	Conformance level	Remarks and explanations
<p><b><u>1.4.2 Audio Control</u></b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web:  Supports</p>	<p>Web: A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.</p>
<p><b><u>2.1.1 Keyboard</u></b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• A function cannot be performed using only the keyboard, so people who use the keyboard alone to navigate and operate content cannot use this function. This occurs on the following pages: Project Wide; View execution logs</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>within Apps Script; Step through a function.</p>
<p><b><u>2.1.2 No Keyboard Trap</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.</p>
<p><b><u>2.1.4 Character Key Shortcuts</u></b> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	<p>Web: Supports</p>	<p>Web: If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b><u>2.2.1 Timing Adjustable</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.
<p><b><u>2.2.2 Pause, Stop, Hide</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> </ul>	Web: Supports	Web: Moving, blinking, scrolling, or auto-updating information can be paused, stopped, hidden, or otherwise controlled by the user.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Not Applicable	Web: The tested application does not contain flashing content.
<p><b><u>2.4.1 Bypass Blocks</u></b> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> </ul>	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated across web pages.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b><u>2.4.2 Page Titled</u></b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<p>Web:  Supports</p>	<p>Web: Pages have descriptive and informative titles.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.4.3 Focus Order</u></b> (Level A)            Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exceptions exists: <ul style="list-style-type: none"> <li>• Keyboard focus or touch screen swiping goes to an element that is hidden or empty, so people who use the keyboard to navigate content (including screen reader users) may become disoriented or confused. This occurs on the following pages: Deploy Apps Script project; Run A Function.</li> <li>• When a modal closes, keyboard focus is not returned to the control that opened the modal or to another logical location, so people who use the keyboard to navigate content (including screen reader users) may become disoriented on the page. This occurs on the following page: Context &amp; Set Up.</li> </ul>
<p><b><u>2.4.4 Link Purpose (In Context)</u></b> (Level A)            Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> </ul>	Web: Supports	Web: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.



Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.5.1 Pointer Gestures</u></b>            (Level A 2.1 only)            Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Supports	Web: All functionality that can be operated with a pointer can be operated with single-point actions.
<p><b><u>2.5.2 Pointer Cancellation</u></b>            (Level A 2.1 only)            Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> </ul>	Web: Supports	Web: For functionality that can be operated using a single pointer, at least one of the following is true: <ul style="list-style-type: none"> <li>• The action is not triggered on the down event.</li> <li>• The action triggers on the up event, and a mechanism is available to abort the function before</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		<p>completion or to undo the function after completion.</p> <ul style="list-style-type: none"> <li>• The up-event reverses any outcome of the preceding down-event.</li> <li>• Completing the function on the down-event is essential.</li> </ul>
<p><b><u>2.5.3 Label in Name</u></b> (Level A 2.1 only)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software) – Informative only</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• The accessible name of an interactive element (such as a link, button, or form input) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following page: Header component that appears on multiple pages.</li> </ul>
<p><b><u>2.5.4 Motion Actuation</u></b> (Level A 2.1 only)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> </ul>	<p>Web: Supports</p>	<p>Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		
<p><b><u>3.1.1 Language of Page</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of each page is correct and can be determined programmatically.
<p><b><u>3.2.1 On Focus</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> </ul>	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>3.2.2 On Input</u></b> (Level A)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web:  Supports</p>	<p>Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.</p>

Criteria	Conformance level	Remarks and explanations
<p><b><u>3.3.1 Error Identification</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.</p>
<p><b><u>3.3.2 Labels or Instructions</u></b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p>	<p>Web: Partially Supports</p>	<p>Web: For most form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• The label of an element is not persistent (always visible on the page), so the element's purpose may be difficult to discover. This occurs on the following page: View execution logs within Apps Script.</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>4.1.1 Parsing</b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a> .
<p><b>4.1.2 Name, Role, Value</b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> </ul>	Web: Partially Supports	Web: The name, role, state, and value of most user interface components can be programmatically determined. The following exceptions exists: <ul style="list-style-type: none"> <li>• A button does not have a programmatic role, so its role (usually button, but sometimes link or something else) is not conveyed to screen readers and other assistive technologies and will not be available to people who use</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>those technologies. This occurs on the following page: View execution logs within Apps Script.</p> <ul style="list-style-type: none"> <li>• The programmatic state of an element that reveals or hides content ("expanded" or "collapsed") is missing or is used incorrectly, so people who are blind and/or use a screen reader or other assistive technology will not be informed of the current state of the element or the state will be misrepresented. This occurs on the following pages: Debug a function; Step through a function.</li> <li>• A form field does not have a programmatic name, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the form field or what input it requires. This occurs on the following page: Add a file to the project.</li> <li>• An element has an invalid attribute in its HTML code that is intended to provide its programmatic role, name, state, or another property to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following pages: Accept hints from the Monaco editor; Step through a function.</li> <li>• An element does not have an attribute in its HTML code that will provide its programmatic state (such as "checked" / "not checked") to assistive technology or the state assigned is not correct, so people who are blind and/or use a screen reader or other assistive</li> </ul>

Criteria	Conformance level	Remarks and explanations
		<p>technology may not be able to understand the current state of the element or how to interact with it. This occurs on the following page: Step through a function.</p> <ul style="list-style-type: none"> <li>• The HTML code for a link or button is nested inside the code of another link or button, so assistive technologies may not be able to determine the function of the element. This occurs on the following pages: Add a Google Workspace service to my project; Run A Function.</li> <li>• An element has an invalid attribute in its HTML code that is intended to provide its programmatic role, name, state, or another property to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following page: Accept an autocomplete suggestion.</li> <li>• The count of available menu options is inaccurately represented or incorrectly calculated, leading to a discrepancy between the displayed options and the actual number of options available. This occurs on the following page: Header component which appears in multiple pages.</li> </ul>



**Table 2: Success Criteria, Level AA**

Criteria	Conformance level	Remarks and explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: Live multimedia files with audio are not present, so synchronized captions are not required.</p>
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: Pre-recorded multimedia files are not present, so audio descriptions are not required.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.3.4 Orientation</b> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	Web: Supports	Web: The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		
<p><b><u>1.4.3 Contrast (Minimum)</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• The color contrast ratio between text and its background is less than 4.5:1, so people who are color blind or have low vision may have difficulty reading the text. This occurs on the following pages: Debug a function; Accept hints from the Monaco editor; View execution logs within Apps Script; View the error rate and executions of different deployments; Step through a function; Run A Function; Add a trigger to run my code; Add a file to the project and Left Navigation which appears on multiple pages.</li> <li>• The color contrast ratio on hover or focus between a control's text label and its background is less than 4.5:1, so people who are color blind or have low vision may have difficulty reading the text label of the control. This occurs on the following pages: Debug a function; Add a Google Workspace service to my project; View execution logs within Apps Script; Step through a function; Run A Function and Left Navigation which appears on multiple pages</li> <li>• The color contrast ratio between text and its background is less than 4.5:1 (or less than 3:1 for large</li> </ul>

Criteria	Conformance level	Remarks and explanations
		text), so people who are color blind or have low vision may have difficulty reading the text. This occurs on the following pages: Add a Google Workspace service to my project; Deploy Apps Script project; Run A Function.
<p><b><u>1.4.4 Resize text</u></b> (Level AA)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following page: Deploy Apps Script project; Accept an autocomplete suggestion.</li> <li>• Functionality is lost when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to this functionality. This occurs on the following page: Debug a function.</li> </ul>
<p><b><u>1.4.5 Images of Text</u></b> (Level AA)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software)</li> </ul>	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.4.10 Reflow</b> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Does Not Support</p>	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following pages: Debug a function; Add a Google Workspace service to my project; View execution logs within Apps Script; Deploy Apps Script project; View the error rate and executions of different deployments; Step through a function; Run A Function; Add a trigger to run my code; Add a library to my project; Context &amp; Set Up; Add a file to the project and Left Navigation which appears on multiple pages.</li> <li>• When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the</li> </ul>

Criteria	Conformance level	Remarks and explanations
		<p>viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs on the following pages: View the error rate and executions of different deployments; Accept an autocomplete suggestion; Context &amp; Set Up and Header component which appears on multiple pages.</p>
<p><b><u>1.4.11 Non-text Contrast</u></b>            (Level AA 2.1 only)            Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.11 (Web)</li> <li>● 10.1.4.11 (Non-web document)</li> <li>● 11.1.4.11 (Open Functionality Software)</li> <li>● 11.1.4.11 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent colour or their background. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>● The visual boundary of an interactive element (like a radio button or input field) does not have a 3:1 color contrast ratio with the background, so people who are color blind or have low vision may have difficulty perceiving the boundaries of the interactive element. This occurs on the following page: View execution logs within Apps Script.</li> <li>● An icon (or part of the icon required to understand its content) does not have a 3:1 color contrast ratio with the background or adjacent colours, so people who are color blind or have low vision may not be able understand the information presented by the icon. This occurs on the following pages: Accept hints from the Monaco editor; View execution logs within</li> </ul>

Criteria	Conformance level	Remarks and explanations
		<p>Apps Script; Add a trigger to run my code.</p> <ul style="list-style-type: none"> <li>• The indicator for the state of an interactive element (like a checkbox or radio button) does not have a 3:1 color contrast ratio with the background, so people who are color blind or have low vision may have difficulty perceiving the state of the interactive element. This occurs on the following pages: View execution logs within Apps Script; Run A Function.</li> <li>• An image or graphic (like a chart) or part of the image/graphic required to understand its content does not have a 3:1 color contrast ratio with the background or adjacent colour, so people who are color blind or have low vision may not be able understand the information presented by the image/graphic. This occurs on the following page: View the error rate and executions of different deployments.</li> <li>• The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are color blind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the following pages: Debug a function; Add a Google Workspace service to my project; View execution logs within Apps Script; View the error rate and executions of different deployments; Step through a function; Run A Function; Left Navigation; Context &amp; Set Up.</li> </ul>

Criteria	Conformance level	Remarks and explanations
<p><b><u>1.4.12 Text Spacing</u></b> (Level AA 2.1 only)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.</p>
<p><b><u>1.4.13 Content on Hover or Focus</u></b> (Level AA 2.1 only)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: In most cases when additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• Content that appears on mouse hover or keyboard focus (such as tooltips, drop-down menus, or popups) is not dismissible, so it obscures all or part of the original content on the page. This occurs on the following pages: Debug a function; View execution logs within Apps Script; Deploy Apps Script project; Run A Function and Left Navigation and Header components which appear on multiple pages.</li> <li>• Content that appears on mouse hover (such as tooltips, drop-down</li> </ul>



Criteria	Conformance level	Remarks and explanations
		<p>menus, or popups) disappears when the mouse pointer is moved over that content, meaning people with disabilities, especially people with low vision who need to magnify text, may not be able to read the additional content. This occurs on the following pages: Debug a function; View execution logs within Apps Script; Deploy Apps Script project; View the error rate and executions of different deployments; Run A Function and Header component which appear on multiple pages.</p>
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> </ul>	<p>Web: Supports</p>	<p>Web: Multiple ways are available to find other pages on the site.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.6 (Web)</li> <li>10.2.4.6 (Non-web document)</li> <li>11.2.4.6 (Open Functionality Software)</li> <li>11.2.4.6 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Most headings and labels for form and interactive controls are informative. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>A programmatic label for a control or form input field does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following page: Accept hints from the Monaco editor.</li> <li>Multiple buttons have identical programmatic labels but different functionality, and there is no programmatic context, so people who are blind and/or use a screen reader will not know or may be confused or misled about what each button does. This occurs on the following page: View execution logs within Apps Script; Add a trigger to run my code.</li> </ul>
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.7 (Web)</li> <li>10.2.4.7 (Non-web document)</li> <li>11.2.4.7 (Open Functionality Software)</li> <li>11.2.4.7 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> </ul>	Web: Partially Supports	<p>Web: In most cases, it is visually apparent which page element is currently receiving keyboard focus. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>An interactive element (such as a link, button, or form input) does not have a visual focus indicator, so sighted people who use a keyboard to navigate content will not know when that element is receiving focus. This occurs on the following pages: Add a Google Workspace service to my project;</li> </ul>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		View execution logs within Apps Script; Deploy Apps Script project; Run A Function; Add a file to the project.
<p><b><u>3.1.2 Language of Parts</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.
<p><b><u>3.2.3 Consistent Navigation</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> </ul>	Web: Supports	Web: Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b><u>3.2.4 Consistent Identification</u></b> (Level AA)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	<p>Web:  Supports</p>	<p>Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b><u>3.3.3 Error Suggestion</u></b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
<p><b><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></b> (Level AA)</p>	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data

Criteria	Conformance level	Remarks and explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.</p>
<p><b><a href="#">4.1.3 Status Messages</a></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exists:</p> <ul style="list-style-type: none"> <li>• A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following pages: Debug a function; View execution logs within Apps Script; Deploy Apps Script project.</li> </ul>

### **Table 3: Success Criteria, Level AAA**

Notes: Not evaluated

## Revised Section 508 Report

### Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Web: Does Not Support	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 4.1.2 Name, Role, Value</li> </ul>
302.2 With Limited Vision	Web: Does Not Support	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 1.4.3 Contrast (minimum)</li> <li>● 1.4.4 Resize Text</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 2.4.7 Focus Visible</li> <li>● 3.3.2 Labels or Instructions</li> <li>● 4.1.2 Name, Role, Value</li> </ul>
302.3 Without Perception of Color	Web: Does Not Support	<p>Web: Most functionality is usable without perception of color. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.4.1 Use of Color</li> </ul>



Criteria	Conformance level	Remarks and explanations
		<ul style="list-style-type: none"> <li>● 1.4.3 Contrast (minimum)</li> </ul>
302.4 Without Hearing	Web: Supports	Web: Most functionality is usable without hearing.
302.5 With Limited Hearing	Web: Supports	Web: Most functionality is usable with limited hearing.
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Does Not Support	<p>Web: Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 2.4.7 Focus Visible</li> <li>● 4.1.2 Name, Role, Value</li> </ul>
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Does Not Support	<p>Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> </ul>

Criteria	Conformance level	Remarks and explanations
		<ul style="list-style-type: none"><li>● 2.4.6 Headings and Labels</li><li>● 2.4.7 Focus Visible</li><li>● 3.3.2 Labels or Instructions</li><li>● 4.1.2 Name, Role, Value</li></ul>

## Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

## Chapter 5: [Software](#)

Notes: Google App Script is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

Criteria	Conformance level	Remarks and explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.1</a> section	See information in <a href="#">WCAG 2.1</a> section
<b><a href="#">502 Interoperability with Assistive Technology</a></b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Web: Supports	
502.2.2 No Disruption of Accessibility Features	Web: Supports	
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Partially Supports	Web: The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 4.1.2 Name, Role, Value</li> </ul>
502.3.2 Modification of Object Information	Web: Partially Supports	Web: For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.

Criteria	Conformance level	Remarks and explanations
		<p>Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.3 Row, Column, and Headers	Web: Partially Supports	<p>Web: In most instances when a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>1.3.1 Info and Relationships</li> </ul>
502.3.4 Values	Web: Partially Supports	<p>Web: For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.5 Modification of Values	Web: Partially Supports	<p>Web: For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using</p>

Criteria	Conformance level	Remarks and explanations
		assistive technology. Exceptions include: <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.6 Label Relationships	Web: Partially Supports	Web: For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.7 Hierarchical Relationships	Web: Supports	Web: When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology. <ul style="list-style-type: none"> <li>1.3.1 Info and Relationships</li> </ul>
502.3.8 Text	Web: Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.
502.3.9 Modification of Text	Web: Supports	All text that can be set by the user is capable of being set programmatically,

Criteria	Conformance level	Remarks and explanations
		including through assistive technology.
502.3.10 List of Actions	Web: Supports	For objects, a list of all actions that can be executed on that object are programmatically determinable.
502.3.11 Actions on Objects	Web: Partially Supports	Web: For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology. Exceptions include: <ul style="list-style-type: none"> <li>• 2.1.1 Keyboard</li> </ul>
502.3.12 Focus Cursor	Web: Supports	The application exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of most user interface components.
502.3.13 Modification of Focus Cursor	Web: Supports	All focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including using assistive technology.
502.3.14 Event Notification	Web: Supports	Web: All status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Web: Supports	The application does not have independent

Criteria	Conformance level	Remarks and explanations
		accessibility features. It utilizes the accessibility features of the browser and operating system used to access it.
<b><u>503 Applications</u></b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Web: Not Applicable	
503.3 Alternative User Interfaces	Web: Not Applicable	
<b><i>503.4 User Controls for Captions and Audio Description</i></b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Web: Not Applicable	
503.4.2 Audio Description Controls	Web: Not Applicable	
<b><u>504 Authoring Tools</u></b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Web: Supports	
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Web: Not Applicable	
504.2.2 PDF Export	Web: Not Applicable	
504.3 Prompts	Web: Not Applicable	
504.4 Templates	Web: Not Applicable	

**Chapter 6: Support Documentation and Services**

Criteria	Conformance level	Remarks and explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required



Criteria	Conformance level	Remarks and explanations
<b><u>602 Support Documentation</u></b>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Web: Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.3 Electronic Support Documentation	Web: Not applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.4 Alternate Formats for Non-Electronic Support Documentation	Web: Not applicable	
<b><u>603 Support Services</u></b>		
603.2 Information on Accessibility and Compatibility Features	Web: Not Applicable	The accessibility and compatibility information is used across multiple Google products and are evaluated in a separate ACR.
603.3 Accommodation of Communication Needs	Web: Not Applicable	

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Does Not Support	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 4.1.2 Name, Role, Value</li> <li>● 4.1.3 Status Messages</li> </ul>
4.2.2 Usage with limited vision	Web: Does Not Support	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 1.4.3 Contrast (minimum)</li> <li>● 1.4.4 Resize Text</li> <li>● 1.4.10 Reflow</li> <li>● 1.4.11 Non-Text Contrast</li> <li>● 1.4.13 Content on Hover or Focus</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 2.4.7 Focus Visible</li> <li>● 3.3.2 Labels or Instructions</li> <li>● 4.1.2 Name, Role, Value</li> </ul>
4.2.3 Usage without perception of color	Web: Does Not Support	<p>Web: Most functionality is usable without perception of color. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.4.1 Use of Color</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> <li>• 1.4.3 Contrast (minimum)</li> <li>• 1.4.11 Non-Text Contrast</li> </ul>
4.2.4 Usage without hearing	Web: Supports	Web: Most functionality is usable without hearing.
4.2.5 Usage with limited hearing	Web: Supports	Web: Most functionality is usable with limited hearing.
4.2.6 Usage without vocal capability	Web: Not Applicable	Web: The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Does Not Support	<p>Web: Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>• 1.4.13 Content on Hover or Focus</li> <li>• 2.1.1 Keyboard</li> <li>• 2.4.3 Focus Order</li> <li>• 2.4.6 Headings and Labels</li> <li>• 2.4.7 Focus Visible</li> <li>• 2.5.3 Label in Name</li> <li>• 4.1.2 Name, Role, Value</li> </ul>
4.2.8 Usage with limited reach	Web: Partially Supports	<p>Web: All functionality is usable by people with limited reach. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>• 1.4.13 Content on Hover or Focus</li> <li>• 2.5.3 Label in Name</li> </ul>
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.
4.2.10 Usage with limited cognition	Web: Does Not Support	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work

Criteria	Conformance Level	Remarks and Explanations
		<p>with assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> <li>● 1.1.1 Non-Text Content</li> <li>● 1.3.1 Info and Relationships</li> <li>● 1.3.2 Meaningful Sequence</li> <li>● 1.4.1 Use of Color</li> <li>● 1.4.10 Reflow</li> <li>● 1.4.13 Content on Hover or Focus</li> <li>● 2.1.1 Keyboard</li> <li>● 2.4.3 Focus Order</li> <li>● 2.4.6 Headings and Labels</li> <li>● 2.4.7 Focus Visible</li> <li>● 2.5.3 Label in Name</li> <li>● 3.3.2 Labels or Instructions</li> <li>● 4.1.2 Name, Role, Value</li> <li>● 4.1.3 Status Messages</li> </ul>
4.2.11 Privacy	Web: Not Applicable	The Google App Script webpages do not provide any privacy features.

## Chapter 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.3 Auditory output correlation	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.5 Speech output automatic interruption	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.9 Private access to personal data	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.12 Speaker volume	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.15 Non-visual error identification	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
<b>5.1.6 Operation without keyboard interface</b>	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.

Criteria	Conformance Level	Remarks and Explanations
5.1.6.2 Input focus	Web: Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.2 Activation of accessibility features	Web: Partially Supports	The product's documented accessibility feature "Accessibility Help" which optimizes screen reader announcement on Monaco editor is not accessible when "Alt+F1" is pressed.
5.3 Biometrics	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Web: Not applicable	The criterion is not relevant to the product. The product does not have a 5.4 Preservation of accessibility information during conversion
<b>5.5 Operable parts</b>	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature



Criteria	Conformance Level	Remarks and Explanations
		relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Web: Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Web: Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

## **Chapter 6: ICT with Two-Way Voice Communication**

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

## Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
<b>7.1 Caption processing technology</b>	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Web: Not Applicable	
7.1.2 Captioning synchronization	Web: Not Applicable	
7.1.3 Preservation of captioning	Web: Not Applicable	
7.1.4 Captions characteristics	Web: Not Applicable	
7.1.5 Spoken subtitles	Web: Not Applicable	
7.2.1 Audio description playback	Web: Not Applicable	
7.2.2 Audio description synchronization	Web: Not Applicable	
7.2.3 Preservation of audio description	Web: Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
7.3 User controls for captions and audio description	Web: Not Applicable	

**Chapter 8: Hardware**

Notes: Not applicable. The product is not a hardware product.

## Chapter 9: [Web](#)

Reference the [WCAG 2.1](#) Report for related issues.

## Chapter 10: [Non-Web Documents](#)

Criteria	Conformance Level	Remarks and Explanations
<b>10.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
<b>10.1.1.1 through 10.4.1.3</b>	See <a href="#">WCAG 2.1</a> section	See information in WCAG 2.2 section
10.5 Caption positioning	Web: Not Applicable	
10.6 Audio description timing	Web: Not Applicable	

## Chapter 11: [Software](#)

Notes: Not applicable. The product is a web application and does not have authoring software tool functionality.

## Chapter 12: [Documentation and Support Services](#)

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Web: Not applicable	The accessibility and compatibility features are used across multiple Google products and are evaluated in a separate ACR.

Criteria	Conformance Level	Remarks and Explanations
12.1.2 Accessible documentation	Web: Not applicable	The accessible documentation is used across multiple Google products and is evaluated in a separate ACR.
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Web: Not applicable	The accessibility and compatibility information are used across multiple Google products and are evaluated in a separate ACR.
12.2.3 Effective communication	Web: Not applicable	
12.2.4 Accessible documentation	Web: Not applicable	The accessibility and compatibility Documentation is used across multiple Google products and are evaluated in a separate ACR.

## **Chapter 13: ICT Providing Relay or Emergency Service Access**

Notes: Not applicable. The product does not provide relay or emergency service access.

## Legal disclaimer

*© 2024 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.5Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.*